














# NINGBO YIDA WOOD-PLASTIC TECHNOLOGY CO.,LTD







Qingyong Industrial Park,Dongwu Town,Yinzhou District Ningbo,China









Tel/Wechat/Whatsapp:+86-13065613316







www.yd-wpc.com








item number	Picture	Drawing	Material	Size		Packing	QTY in container
				Width(mm)	thickness(mm)		20'FCL ( m2)
YD125H30S-2		 Square hollow double-sided groove	plastic wood	125	30	shrink packing+pallet	1000
YD120H50S-2		 Square hollow double-sided groove	plastic wood	120	50	shrink packing+pallet	600
YD140H23SN-2		 new square hollow double-sided groove	plastic wood	140	23	shrink packing+pallet	1100

YD140H25S-2		 <p>old square hollow double-sided groove</p>	plastic wood	140	25	shrink packing+pallet	1050
YD140H25S-1		 <p>square hollow single-sided groove</p>	plastic wood	140	25	shrink packing+pallet	1050
YD140H25SN-2		 <p>new square hollow double-sided groove</p>	plastic wood	140	25	shrink packing+pallet	1050
YD140H35S-2		<p>square hollow double-sided groove</p>	plastic wood	140	35	shrink packing+pallet	1050












YD140H38S-2		square hollow double-sided groove	plastic wood	140	38	shrink packing+pallet	1100
YD140H25R-2		 round hollow double-sided groove	plastic wood	140	25	shrink packing+pallet	1050
YD140H25R-1		 round hollow single-sided groove	plastic wood	140	25	shrink packing+pallet	1050
YD140H25RN-2		new round hollow double-sided groove	plastic wood	140	25	shrink packing+pallet	1050

YD140H40S-2		 <p data-bbox="741 328 1099 389">square hollow double-sided groove</p>	plastic wood	140	40	shrink packing+pallet	800
YD140H40S-1		 <p data-bbox="741 632 1099 692">square hollow single-sided groove</p>	plastic wood	140	40	shrink packing+pallet	800
YD145H25S-2		 <p data-bbox="741 903 1099 963">square hollow double-sided groove</p>	plastic wood	145	25	shrink packing+pallet	1050
YD145H25S-1		 <p data-bbox="741 1182 1099 1243">square hollow single-sided groove</p>	plastic wood	145	25	shrink packing+pallet	1050











YD145H30S-2		 square hollow double-sided groove		145	30	shrink packing+pallet	1000m2
YD145H30S-1		 square hollow single-sided groove	plastic wood	145	30	shrink packing+pallet	1000
YD145H50S-2		square hollow double-sided groove	plastic wood	145	50	shrink packing+pallet	600
YD150H20S-2		square hollow double-sided groove	plastic wood	150	20	shrink packing+pallet	1150











YD150H20S-1		square hollow single-sided groove	plastic wood	150	20	shrink packing+pallet	1150
YD150H22S-1		 square hollow single-sided groove	plastic wood	150	22	shrink packing+pallet	1100
YD150H25S-2		 square hollow double-sided groove	plastic wood	150	25	shrink packing+pallet	1050
YD150H25S-1		 square hollow single-sided groove	plastic wood	150	25	shrink packing+pallet	1050











YD150H25S-2 thin		 square hollow double-sided groove thin	plastic wood	150	25	shrink packing+pallet	1050
YD150H25SN-2		new square hollow double- sided groove	plastic wood	150	25	shrink packing+pallet	1050
YD150H28S-1		 square hollow single-sided groove	plastic wood	150	28	shrink packing+pallet	1000
YD100S20-2		solid double-sided groove	plastic wood	100	20	shrink packing+pallet	1100
YD140S22-1		solid single-sided groove	plastic wood	140	22	shrink packing+pallet	1100











YD140S23-B		 solid bridge hole	plastic wood	140	23	shrink packing+pallet	1100
YD140S38		 solid bridge hole	plastic wood	140	38	shrink packing+pallet	800
YD140S25-2D		 solid double deep groove	plastic wood	140	25	shrink packing+pallet	1050
YD140S25-2T		 solid double thin groove	plastic wood	140	25	shrink packing+pallet	1050
YD140S25-1		 solid single groove	plastic wood	140	25	shrink packing+pallet	1050
YD140S25-1 serration		 solid single groove serration	plastic wood	140	25	shrink packing+pallet	1050



























YD140S30-2		 solid double groove	plastic wood	140	30	shrink packing+pallet	1000m2
YD140S40-2D		 solid double deep groove	plastic wood	140	40	shrink packing+pallet	800
YD140S40-2T		 solid double thin groove	plastic wood	140	40	shrink packing+pallet	800
YD140S40-1		 solid single groove	plastic wood	140	40	shrink packing+pallet	800
YD145S25-2D		 solid double deep groove	plastic wood	145	25	shrink packing+pallet	1050











YD145S25-2T		 solid double thin groove	plastic wood	145	25	shrink packing+pallet	1050
YD145S25-1		 solid single groove	plastic wood	145	25	shrink packing+pallet	1050
YD145S30-2D		 solid double deep groove	plastic wood	145	30	shrink packing+pallet	1000
YD145S30-2DT		 solid thin and deep groove	plastic wood	145	30	shrink packing+pallet	1000
YD145S30-2T		 solid double thin groove	plastic wood	145	30	shrink packing+pallet	1000












YD145S30-1		 solid single groove	plastic wood	145	30	shrink packing+pallet	1000
YD150S20-2		 solid double groove	plastic wood	145	20	shrink packing+pallet	1100
YD150S20-1		 solid single groove	plastic wood	145	20	shrink packing+pallet	1100
YD150S25-2D		 solid double deep groove	plastic wood	145	25	shrink packing+pallet	1050
YD150S25-2T		 solid double thin groove	plastic wood	145	25	shrink packing+pallet	1050

YD150S25-1		 solid single groove	plastic wood	145	25	shrink packing+pallet	1050
YD145S50-2D		 solid double deep groove	plastic wood	145	50	shrink packing+pallet	
YD95S50-2		 solid double groove	plastic wood	95	50	shrink packing+pallet	600
YD150Y16W-GF		 wallboard one side groove and the other flat	plastic wood	150	16	shrink packing+pallet	
YD150Y16W-2F		 wallboard two sides flat	plastic wood	150	16	shrink packing+pallet	



YD135H25W-4F		 wallboard four sides flat	plastic wood	135	25	shrink packing+pallet	
YD90*15-2F-E		 wallboard two sides flat	plastic wood	90	15	shrink packing+pallet	
YD100S12-2F		 binding strip two sides flat (can be embossing)	plastic wood	100	12	shrink packing+pallet	
YD70S11		 binding strip	plastic wood	70	11	shrink packing+pallet	
YD100S40		 square plate	plastic wood	100	40	shrink packing+pallet	
YD40S25		 keel	plastic wood	40	25	shrink packing+pallet	

YD40S30		 keel	plastic wood	40	30	shrink packing+pallet	
YD40S40		 keel	plastic wood	40	40	shrink packing+pallet	
YD48S48		 keel	plastic wood	48	48	shrink packing+pallet	
YD48S48-S		 keel	plastic wood	48	48	shrink packing+pallet	
YD57S32		 keel	plastic wood	57	32	shrink packing+pallet	
YD57H32		 keel	plastic wood	57	32	shrink packing+pallet	

YD100H100		 post	plastic wood	100	100	shrink packing+pallet	
YD120H120		 post	plastic wood	120	120	shrink packing+pallet	
YD150H150		 post	plastic wood	150	150	shrink packing+pallet	
YD150H150-T		 thick post	plastic wood	150	150	shrink packing+pallet	
YD70		 handrail	plastic wood	70	70	shrink packing+pallet	

YD48H48		 post	plastic wood	48	48	shrink packing+pallet	
YD45H45		binding strip	plastic wood	45	45	shrink packing+pallet	
YD90H45		 handrail	plastic wood	90	45	shrink packing+pallet	
YD100H50A		 handrail	plastic wood	100	50	shrink packing+pallet	
YD100H50B		 handrail	plastic wood	100	50	shrink packing+pallet	
YD120H70		 handrail	plastic wood	120	70	shrink packing+pallet	



YD160H80		 handrail	plastic wood	160	80	shrink packing+pallet	
----------	---	--	--------------	-----	----	--------------------------	--

Color for choice



Surface technology: drawing, embossing, wood grain



# TEST REPORT

No. : SHCCM150903081  
Date : Oct. 14, 2015  
Page: 1 of 4

NINGBO YIDA WOOD PLASTIC TECHNOLOGY CO., LTD.  
1478 YONGDA ROAD, NINGBO CITY, ZHEJIANG PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : WPC FENCE  
Sample Number : SHCCM150903080  
SGS Ref. No. : NBIN15090038461PS  
Test Required : Please see the next page(s)  
Test Standard : With reference to GB/T 24508-2009  
Product Specification : 120\*120mm  
Manufacturer : NINGBO YIDA WOOD PLASTIC TECHNOLOGY CO., LTD.  
Material and Mark : YIDA WOOD PLASTIC  
Date of Receipt : Sep. 30, 2015  
Test Period : Sep. 30, 2015 to Oct. 14 , 2015  
Test result(s) : For further details, please refer to the following page(s)  
\*\*\*\*\* To be continued\*\*\*\*\*

Signed for SGS-CSTC Standards  
Technical Services (Shanghai) Co., Ltd.

Enn Huang  
Authorized signatory



This document is issued by the Company subject to its General Conditions of Service printed hereafter, available on request on accessible at <http://www.sgs.com>. This report is issued for information only and does not constitute a contract. The Company is not liable for any damages, direct or indirect, arising from the use of this document. The Company is not responsible for any claims made by third parties based on this document. The Company's sole responsibility is to its Client and this document does not constitute a contract for a transaction. For any claim, please contact us at [sgs@sgs.com](mailto:sgs@sgs.com).  
This document cannot be reproduced except in full, without prior written permission of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Client agreement stated the results shown in this test report refer only to the sample(s) tested and such samples are returned to the client only.  
Information on this document's availability of testing inspection request & certificate, please contact us at telephone: (86) 21 5108 5122, or e-mail: [sgs@sgs.com](mailto:sgs@sgs.com).  
SGS, Box 178, San Yang Qiao Road, Pudong District, Shanghai, China 201210 (86)21 5108 5122 www.sgs.com.cn  
中國·上海·浦東楊橋東路178號郵編201210 (86)21 5108 5122 (86)21 5108 5122 e-mail: [sgs@sgs.com](mailto:sgs@sgs.com)  
Member of the SGS Group (SGS SA)



# TEST REPORT

No. : SHCCM150400931  
Date : Apr. 14, 2015  
Page: 1 of 4

NINGBO YIDA WOOD PLASTIC TECHNOLOGY CO., LTD.  
NO.1478 YONGDA ROAD, YINZHOU DISTRICT, NINGBO CITY, ZHEJIANG PROVINCE, CHINA

The following sample(s) was/were submitted and identified on behalf of the client as:

Sample Name : WPC DECKING  
Sample Number : SHCCM150400931  
SGS Ref No. : NBIN1504002399PS  
Test Required : Please see the next page(s)  
Test Method : With reference to GB/T 17657-2013  
Product specification : 150\*28mm  
Material and Mark : YDWPC  
Product or Lot No. : YD150H28  
Manufacturer : NINGBO YIDA WOOD PLASTIC TECHNOLOGY CO., LTD.  
Date of Receipt : Apr. 02, 2015  
Test Period : Apr. 02, 2015 to Apr. 14, 2015  
Test result(s) : For further details, please refer to the following page(s)  
\*\*\*\*\* To be continued\*\*\*\*\*

Signed for SGS-CSTC Standards  
Technical Services (Shanghai) Co., Ltd.

Enn Huang  
Authorized signatory



## TEST REPORT

No. : NBIN1504002399PS

Date : May 06, 2015

Page: 1 of 4

CUSTOMER NAME: NINGBO YIDA WOOD PLASTIC TECHNOLOGY CO.,LTD  
ADDRESS: NO.1478 YONGDA ROAD, YINZHOU DISTRICT, NINGBO CITY,  
ZHEJIANG PROVINCE, CHINA

The following sample(s) was/ were submitted and identified on behalf of the client as:

Sample Name : WPC decking  
Product Specification : 150\*28mm  
Product or Lot No. : YD150H28  
Manufacturer : NINGBO YIDA WOOD PLASTIC TECHNOLOGY CO.,LTD  
Material and Mark : YDWPC  
Date of Receipt : Apr 01, 2015  
Testing Start Date : Apr 01, 2015  
Testing End Date : Apr 14, 2015  
Test result(s) : For further details, please refer to the following page(s)

Signed for  
SGS-CSTC Standards Technical  
Services Co., Ltd Ningbo Branch

Lorin Yan  
Authorized signatory